








Amazing Pools of the Keys (Marathon, FL)



Pulexa (Orlando, FL)



AT NV SUPPLY, WE TAKE PRIDE IN
OFFERING A REMARKABLE SELECTION
OF TILE OPTIONS DESIGNED
SPECIFICALLY FOR RESIDENTIAL AND
COMMERCIAL POOLS

ENHANCE YOUR POOL
AESTHETIC WITH OUR STYLISH,
MESH-MOUNTED POOL TILES.



CHOOSE FROM 6MM AND 8MM
THICKNESS OPTIONS, AND
EXPLORE VERSATILITY IN CHIP
SIZES RANGING FROM 1X1 TO 6X6.


WHETHER YOU PREFER A SLEEK
SQUARE OR CONTEMPORARY LINEAR
PATTERN, EFFORTLESSLY
CUSTOMIZE YOUR POOL FOR A
MODERN AQUATIC SPACE.





TABLE OF CONTENTS

- 1 SERENITY COLLECTION
- 2 HEAVEN COLLECTION
- 3 HORIZON COLLECTION
- 4 OCEAN COLLECTION
- 5 WAVE COLLECTION
- **6** ESSENCE COLLECTION



SERENITY



NV0001_SERENITY
BLUE 1X1



NV0002_SERENITY BLACK 1X1



NV0004_SERENITY
AQUA 1X1



NV0011_SERENITY BLUE 2X2



NV0012_SERENITY BLACK 2X2




NV0014_SERENITY AQUA 2X2








NV0020_HEAVEN DARK BLUE 1X2



NV0021_HEAVEN
DARK BLUE SQUARE



NV0022_HEAVEN TURQUOISE 1X2



NV0023_HEAVEN TURQUOISE SQUARE



HORIZON



NV0025_HORIZON BLUE SQUARE



NV0029_HORIZON DARK BLUE SQUARE



NV0027_HORIZON
BLUE & GREY SQUARE



NV0026_HORIZON BLUE LINEAR



NV0030_HORIZON DARK BLUE 1X2



NV0028_HORIZON BLUE & GREY LINEAR








NV0050_OCEAN DARK BLUE 1X1



NV0051_OCEAN DARK BLUE SQUARE




NV0052_OCEAN DARK BLUE 2X4




NV0040_OCEAN SKY BLUE 1X1



NV0041_OCEAN SKY BLUE SQUARE



NV0042_OCEAN SKY BLUE 2X4







NV0063_WAVE MARINE 2X2




NV0062_WAVE MARINE 1X2



NV0061_WAVE AQUA 2X2




NV0060_WAVE AQUA 1X2



ESSENCE

COLLECTION




NV0075_ESSENCE BLUE 1X2



NV0074_ESSENCE BLUE 1X1



NV0072_ESSENCE TURQUOISE 1X2



NV0071_ESSENCE TURQUOISE 1X1

PACKING LIST

COLLECTION	SHEETS PER BOX	SQFT PER BOX	LB PER BOX
SERENITY COLLECTION	13	13	38
HEAVEN COLLECTION	13	13	38
HORIZON COLLECTION	13	13	38
OCEAN COLLECTION	13	13	38
WAVE COLLECTION	13	13	38
ESSENCE COLLECTION	13	13	38

TECHNICAL DETAILS

TEST	STANDARD	NV SUPPLY RESULTS	CONCLUSION
ASTM C373 - Average Water Absorption	< 3.0%	< 0.5%	Impervious Classification
ASTM C650 - Resistance to Pool Chemicals	Soak in test solution for 24 hrs. at 74°F	No visual effect	No visual effect to pool chemicals, acid and bases
ASTM C648 - Average Breaking Strength	> 250 lbf.	Variable	Exceeds Standard
ANSI A137.2-7.9 - Thermal Shock Resistance	Subject to 10 cycles of thermal shock immersion test	No visible defects	Thermal shock resistance

Our pool tiles series show shade and color variation.
Using these tiles indicates acceptance of any inherent shade
or color distinctions.

Before installation, carefully inspect the tiles, adhering to the Tile Council of North America installation guidelines, as post-installation claims cannot be accepted.

